SAS**720** A robust linear plank ceiling system suitable for service integration as an integral design feature. SYSTEM GROUP GRID Notched EMAC grid EMAC Hanger suspension Linear profile ceiling PROFILE MATERIAL **Steel** Plank C-Profile APPLICATION Interior and exterior ACCESS SYSTEM WEIGHT LIFE EXPECTANCY **25**yr 0.6_{lbs/lft} Full – demountable profiles In excess of HAVE A QUESTION? Configurable with other products. Call us. Contact us on enquiries@sasint.us



SAS720 is a linear 'plank' system, available in a variety of widths and depths depending on aesthetic preference. Highly robust and sturdy, SAS720 is suitable for service integration as an integral design feature, offering significant creative flexibility.

SAS720 comprises steel rolled c-profiles which hook over the carrier. Costs can be controlled through wider profile spacing if required.

Profile Sizes

| Length | 10' |
|--------|----------|
| Width | 2" - 12" |

Bespoke profiles sizes and waveform profiles are available on request. Longer continuous runs can be achieved through splices and profiles are secured using barbed edge clips located at the end of profiles.

SAS720 profiles can simply be demounted for void access.

SAS720 is available in all standard SAS finishes, please refer to page 110. Bespoke finishes are available on request.

Service Integration


SAS720 profiles can be formed with apertures during manufacturing for integration with lights and other services.

Technical Support


Please contact our technical team for all questions relating to access, bespoke features and service integration.




Perspective Drawing



Section Drawing





SAS**720**

LinkedIn EMEA HQ

Location **Dublin, Ireland**Architect **RKD Architects**

Contractor
Walls Construction
Purpose
Commercial