



SAS200



A concealed, hook-on suspended metal ceiling system ideal for ambitious design challenges.

SYSTEM GROUP	GRID
	
Suspended ceiling	Concealed grid SAS J-Bar suspension

TILE	
	
Hook-on	Square edge

ACOUSTICS	
0.4 - 1.0	15-41dB
NRC	Dnfw*


ACCESS	SYSTEM WEIGHT	LIFE EXPECTANCY
	2lbs/ft² Approx.	25yr
Lift and tilt	Based on 2' x 2' tiles 1 3/4" deep*	In excess of

*Note SAS products are tested in accordance with UK standard Dnfw this means CAC will be 2-2.5dB greater. For more information, please see page 19

SAS PLUS

HAVE A QUESTION?

Configurable with other products. Call us.
Contact us on enquiries@sasint.us



SAS200 is a concealed grid suspended ceiling system offering significant creative flexibility. The highly adaptable system is often used as a basis for fully bespoke designs. Due to its inherent versatility, the J-Bar hook on system can be used in a wide variety of applications.

Module Sizes

There are no standard tile sizes for SAS200. Tiles can be up to 10' in length and no less than 1' wide. Bespoke module sizes and shapes are available on request.

Access

Tiles can simply be lifted and removed from the grid.

Finishes

SAS200 is available in all standard SAS finishes, please refer to page 110. Bespoke finishes are available on request.

Perforations

SAS200 can be manufactured with any standard SAS perforation. For our full range of perforations, please refer to page 84. Bespoke perforations are also an option.

Acoustic Materials

Acoustic mineral wool pad with black tissue face, foil back and sides. Other acoustic materials are available, please refer to page 17.


Service Integration

Tiles can be formed with apertures during manufacturing and post painted for integration with lights and other services.

Technical Support

Please contact our technical team for all questions relating to access, security, bespoke features, acoustics, service integration or load support.


Please note Panels are supplied with a standard 1/8 inches wide, black gasket.




Perspective Drawing

- 1 Emac Hanger
- 2 Emac Channel
- 3 J-Bar to Channel Bracket
- 4 J-Bar
- 5 Emac Wall Anchor
- 6 J-Bar Splice
- 7 Perimeter Trim
- 8 Wedge
- 9 Tile

*Lightweight installations only, see page 248 for full details.



Section and detail drawings





SAS200

KPMG, Sovereign Street

Location
Leeds, UK
Architect
Sheppard Robson

Contractor
Morgan Sindell/ISG
Interior Exterior
Purpose
Commercial